



LENGTH L DATA (LENGTH L IN SIXTEENTHS OF AN INCH)

CODE	4	6	8	10	12	14	16	18	20	22	24
L	.25	.38	.50	.63	.75	.88	1.00	1.13	1.25	1.38	1.50

RETAINER MATERIAL DATA

CODE	MATERIAL	CHEMISTRY SPEC.	PASSIVATE
CR	A-286 CRES	AMS 5525, 5726, 5731, 5732, 5734, 5737	AMS 2700

OPTIONAL SURFACE CODE

CODE	SURFACE
-	SMOOTH
R	RIBS

INSULATION MATERIAL: CERAMIC FIBER

EXAMPLE PART NUMBER

CB9650 CR 3 R 10

THREAD LENGTH L - .63  
 RIBBED SURFACE OPTION  
 THREAD SIZE - .1900-32 UNJF-3A  
 RETAINER MATERIAL - A-286 CRES  
 BASIC PART NUMBER

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS SHOWN BELOW. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

PROPRIETARY PARTS SHOWN IN THIS DRAWING ARE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.

**CLICK BOND**

CARSON CITY  
 NEVADA 89706

APPROVALS		DATE		TITLE			
ANGLES	±1°	DRAWN	DAC	RETAINER, INSULATION BLANKET, MALE THREAD			
.XX	±.03	CHECKED	DAC/mtm	SIZE	CAGE CODE	DWG. NO.	REV.
.XXX	±.010	RELEASED	CGH	A	66530	CB9650	2
.XXXX	±.001	REVISED	DAC	SCALE	2/1	26JUL07	SHEET 1 OF 1