

DIMENSION DATA

CODE	BOLT SIZE	ϕA	ϕDI	ϕDO	L MAX /2/
04	4,0	8,5	3,999 3,960	4,499 4,474	19
05	5,0	10,0	4,999 4,960	5,499 5,474	25
06	6,0	11,5	5,999 5,960	6,499 6,474	25
08	8,0	14,5	7,994 7,955	8,494 8,470	25
10	10,0	17,5	9,994 9,955	10,494 10,470	25
12	12,0	20,5	11,994 11,955	12,494 12,470	25

MATERIAL AND FINISH DATA

CODE	MATERIAL	SPEC.	CONDITION	PASSIVATE
C	A-286 CRES	AMS 5525	AS FORMED	AMS 2700 METHOD 1, TYPE 8
D			ANNEALED	

LUBRICATION DATA /5/

CODE	LUBRICATION	SPEC.
NONE	NONE	
B	NONE	
L	CETYL ALCOHOL	AS87132


SURFACE FINISH

CODE	TREATMENT	SPEC.
N	NONE	
AC	ALUMINUM COAT	NAS4006

NOTES:

1. ALL DIMENSIONS BEFORE ALUMINUM COAT
- /2/ FOR L MAX DIMENSION, LENGTH IS L +0,50/-0,00
- /3/ 0,025 MAX BURR PERMISSIBLE ON INTERIOR AT END OF SLEEVE
- /4/ OPTIONAL ALUMINUM COAT ON EXTERIOR SURFACES (ALUMINUM COATING ON INTERIOR SURFACES PERMISSIBLE)
- /5/ CAUTION: CETYL ALCOHOL IS NOT RECOMMENDED FOR ADHESIVE BONDED SLEEVES

EXAMPLE PART NUMBER



UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

**DIN65428
METRIC
HOLEMOD**

THE PARTS SHOWN IN THIS DRAWING ARE PROPRIETARY AND MAY BE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.



2151 LOCKHEED WAY
CARSON CITY, NEVADA 89706

APPROVALS		DATE
DRAWN	GTP	1JUL22
CHECKED	<i>DD Carter</i>	13JUL22
RELEASED	<i>RDA</i>	13JUL22
REVISED	GTP	13JUL22

TITLE
SLEEVE, BOLT FIT, PROTRUDING HEAD, METRIC

SIZE	CAGE CODE	DWG. NO.	REV.
A	66530	JK5701	9
SCALE: 4:1		13JUL22	SHEET 1 OF 1